



TIP Skills: Changing Your Body Chemistry

To reduce extreme emotion mind *fast*.

Remember these as TIP skills:

T TIP THE TEMPERATURE of your face with **COLD WATER*** (to calm down fast)

- Holding your breath, put your face in a bowl of cold water, or hold a cold pack (or zip-lock bag of cold water) on your eyes and cheeks.
- Hold for 30 seconds: Keep water above 50°F.

I INTENSE EXERCISE* (to calm down your body when it is revved up by emotion)

- Engage in intense exercise, if only for a short while.
- Expend your body's stored up physical energy by running, walking fast, jumping, playing basketball, lifting weights, etc.

P PACED BREATHING (pace your breathing by slowing it down)

- Breathe deeply into your belly.
- Slow your pace of inhaling and exhaling way down (on average, five to six breaths per minute).
- Breathe *out* more slowly than you breathe *in* (for example, 5 seconds in and 7 seconds out).

P PAIRED MUSCLE RELAXATION (to calm down by pairing muscle relaxation with breathing out)

- While breathing into your belly deeply tense your body muscles (*not* so much as to cause a cramp).
- Notice the tension in your body.
- While breathing out, say the word "Relax" in your mind.
- Let go of the tension.
- Notice the difference in your body.

*Caution: Very cold water decreases your heart rate rapidly. Intense exercise will increase heart rate. Consult your health care provider before using these skills if you have a heart or medical condition, a lowered base heart rate due to medications, take a beta-blocker, are allergic to cold, or have an eating disorder.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Manual, Second Edition*, for personal use or use with individual clients only. (See page II of this packet for details.)

Using Cold Water, Step by Step

COLD WATER CAN WORK WONDERS*

When you put your full face into cold water . . . or you put a zip-lock bag with cold water on your eyes and upper cheeks, and **hold your breath**, it tells your brain you are diving underwater.

This causes the “**dive response**” to occur. (It may take 15–30 seconds to start.)

Your heart slows down, blood flow to nonessential organs is reduced, and blood flow is redirected to the brain and heart.

This response can actually help **regulate your emotions**.

This will be useful as a **distress tolerance strategy** when you are having a very **strong, distressing emotion**, or when you are having very **strong urges to engage in dangerous behaviors**.

(This strategy works best when you are sitting quietly—activity and distraction may make it less effective.)

TRY IT OUT!

***Caution:** Very cold water decreases your heart rate. If you have any heart or medical condition, have a lowered base heart rate due to medications, or are on a beta-blocker, consult your health care provider before using these skills. Avoid ice water if you are allergic to the cold.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Manual, Second Edition*, for personal use or use with individual clients only. (See page ii of this packet for details.)

DISTRESS TOLERANCE HANDOUT 6B (Distress Tolerance Worksheet 4a)

Paired Muscle Relaxation, Step by Step

If you have decided to practice **paired muscle relaxation**, it can be very helpful to practice relaxing each of your muscles first.

When you are starting, practice in a quiet place to reduce distractions, and make sure that you have enough time. As you improve with practice, you will want to practice in many different kinds of places, so that you can relax effectively when you most need to.

Remember that effectiveness improves with practice. If judgments arise, observe them, let them go, and return to your practice. If you become anxious, try focusing on breathing *in* to the count of 5 and *out* to the count of 7 (or the counts you have already determined for paced breathing), breathing all the while into your belly until you can return to relaxation exercises.

Now that you are ready to begin . . .

1. Get your body into a comfortable position in which you can relax. Loosen tight clothing. Lie or sit down, with all body parts uncrossed and no body part supporting any others.
2. For each area of the body listed below, gather tension by tightening muscles. Focus on the sensation of tightness in and around that area. Hold the tension as you inhale for 5–6 seconds, then release and breathe out.
3. As you release, say in your mind very slowly the word “Relax.”
4. Observe the changes in sensations as you relax for 10–15 seconds then move on to the next muscle.

Start first with each of the 16 muscle groups.

Once you can do that, practice with medium groups of muscles and then large groups.

Once you are good at that, practice tensing your entire body at once.

When you tense your entire body, you are like a robot—stiff, nothing moving.

When you relax your entire body, you are like a rag doll—all muscles drooping down.

Once you can relax all your muscles, practice three or four times a day until you can routinely relax your entire body rapidly.

By practicing pairing exhaling and the word “Relax” with relaxing your muscles, you will eventually be able to relax just by letting go and saying the word “Relax.”

Large
Medium
Small

1. Hands and wrists: Make fists with both hands and pull fists up on the wrists.
2. Lower and upper arms: Make fists and bend both arms up to touch your shoulders.
3. Shoulders: Pull both shoulders up to your ears.
4. Forehead: Pull eyebrows close together, wrinkling forehead.
5. Eyes: Shut eyes tightly.
6. Nose and upper cheeks: Scrunch up nose; bring upper lips and cheeks up toward eyes.
7. Lips and lower face: Press lips together; bring edges of lips back toward ears.
8. Tongue and mouth: Teeth together; tongue pushing on upper mouth.
9. Neck: Push head back into chair, floor, or bed, or push chin down to chest.
10. Chest: Take deep breath and hold it.
11. Back: Arch back, bringing shoulder blades together.
12. Stomach: Hold stomach in tightly.
13. Buttocks: Squeeze buttocks together.
14. Upper legs and thighs: Legs out; tense thighs.
15. Calves: Legs out; point toes down.
16. Ankles: Legs out; point toes together, heels out, toes curled under.

Remember, paired relaxation is a skill. It takes time to develop. With practice, you will notice the benefits.

Note. Adapted from Smith, R. E. (1980). Development of an integrated coping response through cognitive–affective stress management training. In I. G. Sarason & C. D. Spielberger (Eds.), *Stress and anxiety* (Vol. 7, pp. 265–280). Washington, DC: Hemisphere. Copyright 1980 by Hemisphere Publishing Corporation. Adapted by permission.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Manual, Second Edition*, for personal use or use with individual clients only. (See page II of this packet for details.)

DISTRESS TOLERANCE HANDOUT 7



(Distress Tolerance Worksheets 5–5b; pp. 379–381)

Distracting

A way to remember these skills is the phrase “Wise Mind ACCEPTS.”

With Activities:

- | | |
|--|--|
| <input type="checkbox"/> Focus attention on a task you need to get done. | <input type="checkbox"/> Go out for a meal or eat a favorite food. |
| <input type="checkbox"/> Rent movies; watch TV. | <input type="checkbox"/> Call or go out with a friend. |
| <input type="checkbox"/> Clean a room in your house. | <input type="checkbox"/> Listen to your iPod; download music. |
| <input type="checkbox"/> Find an event to go to. | <input type="checkbox"/> Build something. |
| <input type="checkbox"/> Play computer games. | <input type="checkbox"/> Spend time with your children. |
| <input type="checkbox"/> Go walking. Exercise. | <input type="checkbox"/> Play cards. |
| <input type="checkbox"/> Surf the Internet. Write e-mails. | <input type="checkbox"/> Read magazines, books, comics. |
| <input type="checkbox"/> Play sports. | <input type="checkbox"/> Do crossword puzzles or Sudoku. |
| | <input type="checkbox"/> Other: _____ |

With Contributing:

- | | |
|---|---|
| <input type="checkbox"/> Find volunteer work to do. | <input type="checkbox"/> Call or send an instant message encouraging someone or just saying hi. |
| <input type="checkbox"/> Help a friend or family member. | <input type="checkbox"/> Make something nice for someone else. |
| <input type="checkbox"/> Surprise someone with something nice (a card, a favor, a hug). | <input type="checkbox"/> Do something thoughtful. |
| <input type="checkbox"/> Give away things you don't need. | <input type="checkbox"/> Other: _____ |

With Comparisons:

- | | |
|---|---|
| <input type="checkbox"/> Compare how you are feeling now to a time when you felt different. | <input type="checkbox"/> Compare yourself to those less fortunate. |
| <input type="checkbox"/> Think about people coping the same as you or less well than you. | <input type="checkbox"/> Watch reality shows about others' troubles; read about disasters, others' suffering. |
| | <input type="checkbox"/> Other: _____ |

With different Emotions:

- | | |
|---|---|
| <input type="checkbox"/> Read emotional books or stories, old letters. | <i>Ideas:</i> Scary movies, joke books, comedies, funny records, religious music, soothing music or music that fires you up, going to a store and reading funny greeting cards. |
| <input type="checkbox"/> Watch emotional TV shows; go to emotional movies. | |
| <input type="checkbox"/> Listen to emotional music.
<i>(Be sure the event creates different emotions.)</i> | <input type="checkbox"/> Other: _____ |

With Pushing away:

- | | |
|--|--|
| <input type="checkbox"/> Push the situation away by leaving it for a while. | <input type="checkbox"/> Notice ruminating: Yell “No!” |
| <input type="checkbox"/> Leave the situation mentally. | <input type="checkbox"/> Refuse to think about the painful situations. |
| <input type="checkbox"/> Build an imaginary wall between yourself and the situation. | <input type="checkbox"/> Put the pain on a shelf. Box it up and put it away for a while. |
| <input type="checkbox"/> Block thoughts and images from your mind. | <input type="checkbox"/> Deny the problem for the moment. |
| | <input type="checkbox"/> Other: _____ |

With other Thoughts:

- | | |
|---|--|
| <input type="checkbox"/> Count to 10; count colors in a painting or poster or out the window; count anything. | <input type="checkbox"/> Work puzzles. |
| <input type="checkbox"/> Repeat words to a song in your mind. | <input type="checkbox"/> Watch TV or read. |
| | <input type="checkbox"/> Other: _____ |

With other Sensations:

- | | |
|---|--|
| <input type="checkbox"/> Squeeze a rubber ball very hard. | <input type="checkbox"/> Go out in the rain or snow. |
| <input type="checkbox"/> Listen to very loud music. | <input type="checkbox"/> Take a hot or cold shower. |
| <input type="checkbox"/> Hold ice in your hand or mouth. | <input type="checkbox"/> Other: _____ |

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy or download and print this handout is granted to purchasers of this book for personal use or for use with clients.

Self-Soothing

A way to remember these skills is to think of soothing each of your **FIVE SENSES**.

With Vision:

- Look at the stars at night.
- Look at pictures you like in a book.
- Buy one beautiful flower.
- Make one space in a room pleasing to look at.
- Light a candle and watch the flame.
- Set a pretty place at the table using your best things.
- Go people-watching or window-shopping.
- Go to a museum or poster shop with beautiful art.
- Sit in the lobby of a beautiful old hotel.
- Look at nature around you.
- Walk in a pretty part of town.
- Watch a sunrise or a sunset.
- Go to a dance performance, or watch it on TV.
- Be mindful of each sight that passes in front of you.
- Take a walk in a park or a scenic hike.
- Browse through stores looking at things.
- Other: _____

With Hearing:

- Listen to soothing or invigorating music.
- Pay attention to sounds of nature (waves, birds, rainfall, leaves rustling).
- Pay attention to the sounds of the city (traffic, horns, city music).
- Sing to your favorite songs.
- Hum a soothing tune.
- Learn to play an instrument.
- Burn a CD or make an iPod mix with music that will get you through tough times. Turn it on.
- Be mindful of any sounds that come your way, letting them go in one ear and out the other.
- Turn on the radio.
- Other: _____

With Smell:

- Use your favorite soap, shampoo, aftershave, cologne, or lotions, or try them on in the store.
- Burn incense or light a scented candle.
- Open a package of coffee and inhale the aroma.
- Put lemon oil on your furniture.
- Put potpourri or eucalyptus oil in a bowl in your room.
- Sit in a new car and breathe the aroma.
- Boil cinnamon. Make cookies, bread, or popcorn.
- Smell the roses.
- Walk in a wooded area and mindfully breathe in the fresh smells of nature.
- Open the window and smell the air.
- Other: _____

With Taste:

- Eat some of your favorite foods.
- Drink your favorite soothing drink, such as herbal tea, hot chocolate, a latté, or a smoothie.
- Treat yourself to a dessert.
- Eat macaroni and cheese or another favorite childhood food.
- Sample flavors in an ice cream store.
- Suck on a piece of peppermint candy.
- Chew your favorite gum.
- Get a little bit of a special food you don't usually spend the money on, such as fresh-squeezed orange juice or your favorite candy.
- Really taste the food you eat. Eat one thing mindfully.
- Other: _____

With Touch:

- Take a long hot bath or shower.
- Pet your dog or cat.
- Have a massage. Soak your feet.
- Put creamy lotion on your whole body.
- Put a cold compress on your forehead.
- Sink into a comfortable chair in your home.
- Put on a blouse or shirt that has a pleasant feel.
- Take a drive with the car windows rolled down.
- Run your hand along smooth wood or leather.
- Hug someone.
- Put clean sheets on the bed.
- Wrap up in a blanket.
- Notice touch that is soothing.
- Other: _____